



SITE NOTES:

1. CONTRACTOR SHALL VERIFY GRADES PRIOR TO COMMENCEMENT.
2. CONCRETE FLATWORK SHALL SLOPE AWAY FROM BUILDING AT 1/4 INCH PER FOOT. PROVIDE EXPANSION/CONTROL JTS. @ 8'-0" O.C. MAX.
3. CONCRETE PATIO SHALL HAVE INTEGRAL COLOR. COLOR AS MFG. BY DAVIS OR APPROVED EQUAL. PROVIDE LIGHT SANB-BLASTED FINISH.

4. CONTRACTOR SHALL REPLACE ANY SECTION OF EXISTING WALKWAY IDENTIFIED AS PATH OF TRAVEL FROM BUILDING, AND PATIO TO DRIVEWAY THAT EXCEEDS 2% CROSS SLOPE AS REQUIRED BY CBC ACCESSIBILITY REQUIREMENTS.
5. FURNISH + INSTALL NEW SIDEWALK CURB RAMP AT SIDEWALK / DRIVEWAY PER CBC FIGURE 11B-19A.
6. MODIFY (E) IRRIGATION TO NEW PLANTING AREAS.

 <p>ARCHUMANA Architecture Serving Humanity</p> <p>1011 Second Street, Suite # 203 Santa Rosa, California 95404 707.525.9393 archumana.com</p>	<p>PARTIAL SITE PLAN</p> <p>1/8" = 1'-0"</p>			<p>PROJECT NO: 502</p>	<p>OWNER: CATHOLIC CHARITIES 987 AIRWAY CT. SANTA ROSA, CA</p>	<p>SHEET: A-1</p>
	<p>DATE: 3/15/06 REVISION 1: 9/18/06 REVISION 2: 12/7/11</p>	<p>DRAWN BY: MB</p>				